FLUID-SEDIMENT INTERACTIONS IN THE NEARSHORE

Daniel C. Conley
Marine Sciences Research Center
State University of New York, Stony Brook
Stony Brook, NY. 11794-5000
telephone: (516) 632-9251
fax: (516) 632-8820

email: dcc@goased.msrc.sunysb.edu Award #: N00014-98-1-0007

LONG-TERM GOALS

The long range goal of this research is to characterize and understand small scale processes of coastal sediment transport well enough to be able to determine a-priori what level of discretization and averaging is appropriate in modeling efforts intended to identify morphological changes of arbitrary detail.

OBJECTIVES

The immediate objectives of this project are to examine the importance of various time and space scales of sediment transport in the context of morphology change.

APPROACH

Using a grid of collocated stacks of concentration (FOBS) sensors and velocity (VEMA) sensors, we will estimate the vertical distribution of sediment flux at each position in the grid. Using cross-spectral analysis we will determine the frequency distribution of the flux at each elevation. We can then use this information from each location to estimate spatial gradients (divergence) in the total transport as well as determine what the divergence is for separate frequency bands (e.g. mean, infra-gravity, incident). Using the wide range of conditions encountered in 2 months of data collection, we will examine exactly how these results change with changing incident wave conditions, differing bottom morphologies and varying water depths.

WORK COMPLETED

The field experiment/data collection portion of this project is almost complete. In the 1st month of the award, we have completed the 7th week of data collection. Pressure, velocity and concentration measurements have been collected 24 hours/day at 9 locations with 5 in the longshore and 5 in the cross-shore. Vertical distributions of concentration are available at 7 of those stations and vertical distributions of velocity are available at 4-6 of those locations depending on the period during the experiment. The data has been examined for data quality and is fully archived on a database which includes sensor calibration and location information.

Public reporting burden for the coll maintaining the data needed, and co- including suggestions for reducing VA 22202-4302. Respondents shot does not display a currently valid C	ompleting and reviewing the collect this burden, to Washington Headqu ald be aware that notwithstanding a	tion of information. Send comment parters Services, Directorate for Inf	s regarding this burden estimate formation Operations and Reports	or any other aspect of the s, 1215 Jefferson Davis	his collection of information, Highway, Suite 1204, Arlington	
1. REPORT DATE 30 SEP 1997	2. REPORT TYPE			3. DATES COVERED 00-00-1997 to 00-00-1997		
4. TITLE AND SUBTITLE				5a. CONTRACT NUMBER		
Fluid-sediment Into		5b. GRANT NUMBER				
				5c. PROGRAM ELEMENT NUMBER		
6. AUTHOR(S)				5d. PROJECT NUMBER		
				5e. TASK NUMBER		
				5f. WORK UNIT NUMBER		
7. PERFORMING ORGANIZATION NAME(S) AND ADDRESS(ES) State University of New York, Marine Sciences Research Center, Stony Brook, NY, 11794				8. PERFORMING ORGANIZATION REPORT NUMBER		
9. SPONSORING/MONITORING AGENCY NAME(S) AND ADDRESS(ES)				10. SPONSOR/MONITOR'S ACRONYM(S)		
				11. SPONSOR/MONITOR'S REPORT NUMBER(S)		
12. DISTRIBUTION/AVAIL Approved for public		ion unlimited				
13. SUPPLEMENTARY NO	TES					
14. ABSTRACT						
15. SUBJECT TERMS						
16. SECURITY CLASSIFIC	ATION OF:		17. LIMITATION OF ABSTRACT	18. NUMBER OF PAGES	19a. NAME OF RESPONSIBLE PERSON	
a. REPORT unclassified	b. ABSTRACT unclassified	c. THIS PAGE unclassified	Same as Report (SAR)	3	RESI CHOIDEL I ERSON	

Report Documentation Page

Form Approved OMB No. 0704-0188

RESULTS

Preliminary analysis of the data indicates that significant erosional and depositional events were observed during the experiment. Locations on the inner bar and inner trough were the most dynamic with instrument clusters experiencing multiple cycles of burial and exposure of 30 cm. or more. Patterns of burial or exposure exhibited 2 patterns, either a gradual continuous evolution or a long term (O(days)) change during a period of large scale fluctuations (Figure 1) possibly suggesting large scale bed form migration. The vertical scale of sediment distribution appears to vary greatly with more energetic conditions often exhibiting sediment flux concentrated closer to the bed than during weaker conditions.




Figure 1: Time series of 17 channels of raw concentration measurements at site B starting at 19:59EDT on 19 Oct. 1997. FOBS is saturated when buried so bed level is near top of quiescent channels. Figure indicates that net 28 cm of erosion in 9 hours is immersed in large scale, O(20cm), and short term, O(hr.) oscillations of the bed. Notice that vertical scale of sediment concentration is typically less than 10 cm. despite mean longshore currents greater than 1m/s.

IMPACT/APPLICATIONS

A large, high quality, data set of sediment concentration and fluid velocity has been collected in a variety of conditions throughout the surf zone. This data set will be very instructive in understanding the small scale sedimentary processes from which large scale

morphologic change derives. This data also provides an excellent database for the testing of process based models of sediment transport.

TRANSITIONS

The data from this project has been collected and is being used in conjunction with Dick Sternberg and Andrea Ogston (U. Wash.) and Reg. Beach (ONR).

RELATED PROJECTS

See above.